



Stone Lakes National Wildlife Refug


Refuge: located in
Stone Lakes Basin &
along the western
edge of Elk Grove









Stone Lakes National Wildlife Refuge Location



North American Migration Flyways (with Principal Routes)

Atlantic Flyway Mississippi Flyway Central Flyway Pacific Flyway









## Stone Lakes National Wildli

5 wetland units comprising 1000 acres of seasonal wetlands intensively managed to provide roosting and foraging habitat for wintering birds.

















- Exhibit very high site fidelity for

foraging and roosting

- Roost in shallow wetlands – 3" to 6"

- Forage in agricultural fields and open grasslands during the day.

- Favor the Cosumnes River because is the only naturally flooding, undammed river on West side of the Sierra Nevada

> -During extreme flooding events, the upland areas become crucial to preservation of the population.



## Swainson's Hawk:

- Breeds and forages in prairie and row crops of Western N. America - Winter migration to central Mexico - Estimated 2,080 CA breeding pairs in 2005 - 90% in Central Valley -Listed as a threatened under CA ESA

- Reproductive activity and survival of young is directly dependent on availability of small rodent food supply reasonably close to nests during breeding period.
  - Undernourished birds, particularly in first year, are unlikely to survive rigors of migration.



Irrigated cropland and irrigated pasture are the best foraging habitat.

